



Leading Pioneer in Aluminium Excellence



2026
Vol.1

www.yemora.in

ABOUT US

Leading Pioneer in Aluminium Excellence

Yemora is a leading aluminium extrusion manufacturer dedicated to delivering high-performance extrusion solutions for industrial, commercial, and infrastructure applications. Established in Kerala, Yemora is positioned to ensure efficient connectivity and smooth distribution across South India, catering to a growing and diverse market.

Built on a foundation of quality, innovation, and engineering excellence, Yemora combines modern manufacturing practices with advanced extrusion technology to produce precision-engineered aluminium profiles. The company's robust infrastructure includes state-of-the-art extrusion presses, in-house billet casting facilities, tool room capabilities, and stringent quality assurance systems, ensuring consistency, durability, and superior product performance. We mainly focus on precision, timely delivery, and building long-term relationships through reliable service and consistent quality.

Our facility is equipped with robust 638 MT, 930 MT, and 1150 MT extrusion presses, enabling the production of a wide range of aluminium profiles with circumscribing circle diameters (CCD) ranging from 5 mm to 130 mm. This allows us to cater to diverse industry requirements with flexibility and precision. To maintain superior material quality and consistency, Yemora operates an in-house billet casting unit with an advanced homogenization system, ensuring enhanced strength, uniformity, and performance of every extrusion. Our manufacturing ecosystem is further strengthened by in-house tool room facilities and stringent quality control processes that align with both domestic and international standards.

KEY GROWTH STRATEGIES

We aim to achieve total customer satisfaction in aluminium extrusion profiles through continuous innovation, advanced engineering, and customized solutions tailored to specific client needs. We consistently deliver precise and reliable outputs, even when faced with technical challenges. Our operations are driven by a strong commitment to technical excellence, stringent quality control, and timely delivery, along with responsive and dependable customer service.

MANUFACTURING INFRASTRUCTURE

- Extrusion Press Capacity: 638 MT, 930 MT, 1150 MT.
- Upcoming Press: 2400 MT (8-inch)

SUPPORTING EQUIPMENT

- Extrusion Press Capacity: 638 MT, 930 MT, 1150 MT.
- Upcoming Press: 2400 MT (8-inch)

MELTING & CASTING TECHNOLOGY

OUR FACILITY IS EQUIPPED WITH:

- Reverberatory melting furnaces (2 units × 6 MT capacity)
- Direct Chill (DC) casting unit with Hot Top casting technology
- Homogenizing furnace and process capability. (heat-treat metal bill or slabs to make their chemical composition and microstructure uniform by controlled heating and soaking.)

This advanced setup enables the production of high-quality aluminium alloys conforming to:

- IS 733
- IS 737
- IS 1285
- ASTM standards

QUALITY ASSURANCE

We Maintain Strict Quality Control Through:

- High-precision chemical analysis using Spectrometer (SpectroMax)
- Grain refinement and degassing processes to eliminate impurities.
- Minimal aluminium oxide presence in cast logs.

Testing & Inspection

- Dimensional Inspection
- Hardness Testing (WEBSTER Handheld Tester)
- UTS (Ultimate Tensile Strength) Verification

HEAT TREATMENT & FINISHING

- Ageing performed in high-velocity air ovens
- Precise temperature control ensures.
- Uniform mechanical properties.
- Consistent product performance.
- Excellent compatibility with surface finishing processes.

OUR MISSION & VISION

Mission

Our mission is to drive innovation in sustainable aluminium solutions, empowering customers to enhance performance and build a better future.

Vision

Our vision is to transform industries through advanced technological innovation, with high-tech capabilities driving everything we do.

OUR FUTURE

Why Choose Us

QUALITY EXTRUSIONS

We specialize in precision-engineered aluminium extrusions engineered for exceptional strength, durability, and sustained performance across multiple industries.

INNOVATIVE DESIGN

Our team provides innovative extrusion solutions for automotive, electrical, and construction projects with modern aesthetics.

OUR FUTURE

Why Choose Us

ADVANCED MANUFACTURING

Using advanced technology, we ensure precision, consistency, and efficiency across every extrusion process.

SUSTAINABLE SOLUTIONS

We deliver eco-friendly aluminium products that support solar infrastructure and green building designs, promoting a more sustainable and energy-efficient future

PRODUCT INDEX

FLAT BAR	01
RODS	01
ANGLES	01 - 02
MISCELLANEOUS CHANNEL	03 - 05
ROUND TUBE	06
SQUARE TUBE	07
RECTANGULAR TUBE	08- 09
SLIDING WINDOW SERIES	10- 15
FIX DOORS AND WINDOWS	16- 19
DOOR SERIES	20- 21
MOSQUITO NET SERIES	22
KITCHEN SERIES	23- 28
SHOW CASE	29
PARTITION	30- 32
GLASS PARTITION	33
CURTAIN SECTIONS	34-36
PANEL SECTIONS	37
LOUVER SECTIONS	38
STRUCTURAL GLAZING	39
LADDER SECTIONS	40-42
MISCELLANEOUS	43-45


FLAT BAR



PROFILE NO	A	T	WEIGHT / 12'	GRADE
IME - 5010	19.00	2.95	0.550 - 0.650	H
IME - 9270	19.00	1.50	0.280 - 0.300	M
IME - 1251	19.00	3.00	0.500 - 1.000	L
IME - 9272	70.00	3.00	2.000 - 2.200	H
IME - 9273	25.00	3.00	0.750 - 0.800	H


RODS

HEXAGONAL ROD



PROFILE NO	A	B	WEIGHT / 15'	GRADE
IME - 9245	7.00	7.00	0.400 - 0.500	L


STAR ROD



PROFILE NO	A	B	WEIGHT / 15'	GRADE
IME - 9295	6.00	2.70	0.180 - 0.240	M

ANGLES


SERRATION ANGLE



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 1001	10.00	10.00	0.40	0.080 - 0.100	XL
IME - 1005	14.00	14.00	0.40	0.100 - 0.120	XL
IME - 1010	17.00	17.00	0.40	0.120 - 0.140	XL


ANGLES

EQUAL ANGLES




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 1015	12.00	12.00	0.91	0.180 - 0.220	XL
IME - 1016	12.00	12.00	2.10	0.300 - 0.350	M
IME - 1020	19.00	19.00	1.18	0.400 - 0.500	M
IME - 1021	19.00	19.00	1.46	0.500 - 0.560	M
IME - 1022	19.00	19.00	1.71	0.700 - 0.750	H
IME - 1025	23.00	23.00	0.55	0.200 - 0.230	XL
IME - 1026	23.00	23.00	0.66	0.240 - 0.280	L
IME - 1027	23.00	23.00	0.73	0.280 - 0.340	M
IME - 1029	25.00	25.00	0.76	0.450 - 0.550	M
IME - 1030	25.00	25.00	1.41	0.700 - 0.750	M
IME - 1031	25.00	25.00	1.59	0.800 - 0.850	H
IME - 1032	25.00	25.00	1.82	0.900 - 1.000	H

UNEQUAL ANGLES



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 1035	19.00	12.00	1.95	0.500 - 0.550	H
IME - 1039	22.50	13.00	2.96	0.900 - 1.000	H
IME - 5005	22.60	13.20	3.10	0.950 - 1.000	H
IME - 1040	38.10	25.40	1.81	1.100 - 1.200	H
IME - 1042	38.10	25.40	2.60	2.000 - 2.100	H


CRIMPING ANGLE



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 1110	50.00	50.00	4.40	3.400 - 3.600	H
IME - 9337	44.50	44.50	4.60	3.600 - 3.650	H


MISCELLANEOUS CHANNELS

C-BULB CHANNEL




PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 1085	24.70	12.40	0.71	22.40	0.350 - 0.400	M
IME - 1086	24.70	12.40	0.82	22.40	0.400 - 0.450	M

C - CHANNEL




PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 1060	22.00	14.00	0.59	8.50	0.350 - 0.400	L
IME - 1061	22.00	14.00	0.67	8.50	0.400 - 0.450	M

U - CHANNEL



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 1075	9.52	9.52	0.61	8.30	0.130 - 0.170	XL
IME - 1076	9.52	9.52	0.90	7.72	0.260 - 0.290	L
IME - 1077	9.52	9.52	0.97	7.58	0.290 - 0.310	M
IME - 1079	29.00	25.00	1.40	26.20	1.030 - 1.070	H


SLOTTED CHANNEL



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 1105	23.00	7.80	0.90	0.350 - 0.450	M


MISCELLANEOUS CHANNELS

J - CHANNEL




PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 1255	25.00	5.70	0.80	4.10	0.250 - 0.280	L

DOUBLE GLASS CHANNEL




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 1090	23.30	12.70	0.64	0.350 - 0.400	M
IME - 1091	23.30	12.70	0.70	0.400 - 0.450	M

WATER CHANNEL




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 1055	25.40	12.00	1.00	0.280 - 0.350	L
IME - 1056	25.40	12.00	1.10	0.350 - 0.400	L
IME - 1177	24.00	15.70	0.92	0.370 - 0.430	M

H - CHANNEL



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 1080	18.00	9.00	0.90	0.380 - 0.420	M


H - CLIP



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 9250	8.00	9.80	0.80	3.00	0.240 - 0.260	L


MISCELLANEOUS CHANNELS

'T' HANDLE SECTION




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 9343	26.00	20.00	0.80	0.500 - 0.600	L

HINGES




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 9333	24.00	5.30	1.50	0.350 - 0.400	XL
IME - 9334	34.00	8.50	2.00	0.800 - 0.850	L

'C' GEAR




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 9307	36.50	18.00	1.90	1.500 - 1.550	H

'G' GEAR



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 9310	39.00	40.00	2.00	2.300 - 2.400	H


'G' HANDLE



PROFILE NO	A	B	T	WEIGHT / 7'	GRADE
IME - 7870	35.00	19.60	0.90	0.950 - 1.050	H


ROUND TUBE

ROUND TUBE




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 9298	9.00	8.00	0.50	0.130 - 0.230	XL
IME - 5105	19.30	15.60	1.85	0.950 - 1.050	H
IME - 9301	24.00	22.80	0.60	0.450 - 0.500	XL
IME - 9304	30.00	28.60	0.70	0.650 - 0.700	XL

FLUTED ROUND TUBE




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7608	18.50	17.04	0.38	0.250 - 0.280	XL
IME - 5080	24.80	20.40	1.70	1.200 - 1.300	H
IME - 7605	24.80	22.60	0.50	0.340 - 0.380	XL
IME - 7606	24.80	22.60	0.60	0.380 - 0.450	L

SQUARE TUBE




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7001	17.00	17.00	0.47	0.280 - 0.310	XL
IME - 7002	17.00	17.00	0.54	0.360 - 0.420	L
IME - 7010	19.05	19.05	0.85	0.600 - 0.700	M
IME - 7015	22.00	22.00	0.49	0.400 - 0.500	XL
IME - 7016	22.00	22.00	0.59	0.500 - 0.600	L
IME - 7017	22.00	22.00	0.71	0.600 - 0.700	M
IME - 7020	24.00	24.00	0.49	0.450 - 0.500	XL
IME - 7021	24.00	24.00	0.55	0.500 - 0.550	L
IME - 7022	24.00	24.00	0.61	0.550 - 0.700	M
IME - 7030	25.00	25.00	1.00	0.600 - 0.700	M
IME - 7040	32.00	32.00	0.65	0.700 - 0.800	XL
IME - 7041	32.00	32.00	0.69	0.800 - 0.880	L
IME - 7042	32.00	32.00	0.73	0.900 - 0.980	M
IME - 7043	32.00	32.00	0.78	1.000 - 1.100	H
IME - 7044	32.00	32.00	0.86	1.100 - 1.200	H
IME - 7045	32.00	32.00	0.93	1.200 - 1.300	H
IME - 7050	35.00	35.00	0.90	1.200 - 1.300	M
IME - 7060	36.00	36.00	0.63	0.900 - 1.000	L
IME - 7061	36.00	36.00	0.74	1.000 - 1.200	M
IME - 7062	36.00	36.00	0.86	1.200 - 1.300	M
IME - 7080	50.00	50.00	1.49	1.700 - 1.800	H

RECTANGLE TUBE



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7085	20.00	10.00	0.81	0.500 - 0.550	M
IME - 7086	20.00	10.00	0.91	0.650 - 0.700	M
IME - 7075	25.00	11.00	0.81	0.550 - 0.600	L
IME - 7076	25.00	11.00	0.91	0.600 - 0.650	M
IME - 7090	36.00	24.00	0.51	0.550 - 0.650	XL
IME - 7091	36.00	24.00	0.61	0.700 - 0.800	L
IME - 7092	36.00	24.00	0.70	0.800 - 0.900	M
IME - 7093	36.00	24.00	0.79	0.900 - 0.950	M
IME - 7094	36.00	24.00	0.88	0.950 - 1.000	M
IME - 7095	36.00	24.00	0.98	1.000 - 1.100	H
IME - 7096	36.00	24.00	1.19	1.100 - 1.200	H
IME - 7097	36.00	24.00	1.28	1.200 - 1.300	H
IME - 7100	38.10	25.40	0.78	0.900 - 1.000	M
IME - 7101	38.10	25.40	0.84	1.000 - 1.100	M
IME - 7102	38.10	25.40	0.90	1.100 - 1.200	H
IME - 7103	38.10	25.40	1.00	1.200 - 1.300	H
IME - 7104	38.10	25.40	1.11	1.300 - 1.500	H
IME - 7105	38.10	25.40	1.27	1.500 - 1.700	H
IME - 7120	48.00	24.00	0.65	0.800 - 0.900	XL
IME - 7121	48.00	24.00	0.68	0.900 - 1.000	L
IME - 7122	48.00	24.00	0.75	1.000 - 1.100	M
IME - 7123	48.00	24.00	0.80	1.100 - 1.200	M
IME - 7124	48.00	24.00	0.93	1.200 - 1.300	M
IME - 7125	48.00	24.00	1.00	1.300 - 1.400	M
IME - 7126	48.00	24.00	1.15	1.400 - 1.500	H
IME - 7130	50.80	25.40	0.80	1.050 - 1.100	M
IME - 7131	50.80	25.40	0.90	1.200 - 1.300	M
IME - 7132	50.80	25.40	1.00	1.300 - 1.400	M
IME - 7133	50.80	25.40	1.10	1.400 - 1.600	H
IME - 7134	50.80	25.40	1.20	1.600 - 1.800	H
IME - 7135	50.80	25.40	1.30	1.800 - 2.000	H
IME - 7136	50.80	25.40	1.40	2.000 - 2.200	H
IME - 7137	50.80	25.40	1.60	2.200 - 2.400	H


RECTANGLE TUBE



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7150	63.50	38.10	0.75	1.500 - 1.580	L
IME - 7151	63.50	38.10	0.85	1.600 - 1.700	L
IME - 7152	63.50	38.10	0.94	1.700 - 1.800	L
IME - 7153	63.50	38.10	1.04	1.800 - 1.900	M
IME - 7154	63.50	38.10	1.13	1.900 - 2.000	M
IME - 7155	63.50	38.10	1.24	2.000 - 2.200	H
IME - 7156	63.50	38.10	1.30	2.200 - 2.400	H
IME - 7157	63.50	38.10	1.36	2.400 - 2.600	H
IME - 7158	63.50	38.10	1.39	2.600 - 2.800	H
IME - 7159	63.50	38.10	1.44	2.800 - 3.000	H
IME - 7159 H	63.50	38.10	2.00	4.000 - 4.100	H
IME - 3205	76.20	25.40	0.74	1.450 - 1.500	M
IME - 3210	80.00	15.00	0.76	1.400 - 1.500	L
IME - 3211	80.00	15.00	0.83	1.500 - 1.650	M
IME - 3220	95.00	24.00	0.87	1.950 - 2.050	M
IME - 3200	100.00	15.00	0.73	1.500 - 1.600	L
IME - 3201	100.00	15.00	0.83	1.600 - 1.750	M
IME - 3215	101.60	25.40	0.79	1.950 - 2.000	M
IME - 9260	101.60	44.45	1.20	3.450 - 3.500	H


SLIDING WINDOW SERIES

SHUTTER (12 SERIES)




PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 7301	31.60	14.30	0.70	7.70	0.750 - 0.800	L
IME - 7302	31.60	14.30	0.80	7.70	0.800 - 0.900	M
IME - 7303	31.60	14.30	0.90	7.70	0.900 - 1.000	M

SHUTTER (12 SERIES)




PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 7305	31.60	14.30	0.70	7.70	0.800 - 0.900	L
IME - 7306	31.60	14.30	0.80	7.70	0.900 - 1.000	M
IME - 7307	31.60	14.30	0.90	7.70	1.000 - 1.100	M

SHUTTER (18 SERIES)



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 7310	40.00	18.00	0.59	10.00	0.750 - 0.800	XL
IME - 7311	40.00	18.00	0.66	10.00	0.800 - 0.900	L
IME - 7312	40.00	18.00	0.71	10.00	0.900 - 1.000	M


RUNNER (18 SERIES)



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 7320	40.00	18.00	0.59	10.00	0.750 - 0.800	XL
IME - 7321	40.00	18.00	0.71	10.00	0.800 - 0.900	L
IME - 7322	40.00	18.00	0.76	10.00	0.900 - 1.100	L


SLIDING WINDOW SERIES

SHUTTER INTER LOCK (18 SERIES)




PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 7330	40.40	26.60	0.65	10.00	1.100 - 1.150	L
IME - 7331	40.40	26.60	0.69	10.00	1.150 - 1.350	M
IME - 7332	40.40	26.60	0.76	10.00	1.350 - 1.600	M

SHUTTER INTER LOCK (20 SERIES)




PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 3010	39.00	29.00	1.00	10.00	1.200 - 1.300	H
IME - 3011	39.00	29.00	1.21	10.00	1.700 - 1.800	H
IME - 3012	39.00	29.00	1.41	10.00	1.900 - 2.000	H

SHUTTER



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 3001	39.00	20.00	0.64	10.20	0.700 - 0.800	L
IME - 3002	39.00	20.00	0.66	10.20	0.800 - 0.900	L
IME - 3003	39.00	20.00	0.71	10.20	0.900 - 1.000	M
IME - 3003/1	39.00	20.00	0.90	10.20	1.100 - 1.200	M
IME - 3004	39.00	20.00	1.07	10.20	1.200 - 1.300	H
IME - 3005	39.00	20.00	1.18	10.20	1.400 - 1.500	H
IME - 3006	39.00	20.00	1.47	10.20	1.700 - 1.850	H
IME - 3030	46.00	20.00	0.58	10.20	0.800 - 0.850	XL
IME - 3031	46.00	20.00	0.63	10.20	0.850 - 0.900	L
IME - 3032	46.00	20.00	0.68	10.20	0.900 - 1.000	M


RUNNER 20 SERIES



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 3020	41.00	20.00	1.07	15.00	1.200 - 1.300	M
IME - 3021	41.00	20.00	1.30	15.00	1.400 - 1.750	H


SLIDING WINDOW SERIES

SHUTTER INTER LOCK (18 SERIES)




PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 7330	40.40	26.60	0.65	10.00	1.100 - 1.150	L
IME - 7331	40.40	26.60	0.69	10.00	1.150 - 1.350	M
IME - 7332	40.40	26.60	0.76	10.00	1.350 - 1.600	M

SHUTTER INTER LOCK (20 SERIES)




PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 3010	39.00	29.00	1.00	10.00	1.200 - 1.300	H
IME - 3011	39.00	29.00	1.21	10.00	1.700 - 1.800	H
IME - 3012	39.00	29.00	1.41	10.00	1.900 - 2.000	H

SHUTTER



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 3001	39.00	20.00	0.64	10.20	0.700 - 0.800	L
IME - 3002	39.00	20.00	0.66	10.20	0.800 - 0.900	L
IME - 3003	39.00	20.00	0.71	10.20	0.900 - 1.000	M
IME - 3003/1	39.00	20.00	0.90	10.20	1.100 - 1.200	M
IME - 3004	39.00	20.00	1.07	10.20	1.200 - 1.300	H
IME - 3005	39.00	20.00	1.18	10.20	1.400 - 1.500	H
IME - 3006	39.00	20.00	1.47	10.20	1.700 - 1.850	H
IME - 3030	46.00	20.00	0.58	10.20	0.800 - 0.850	XL
IME - 3031	46.00	20.00	0.63	10.20	0.850 - 0.900	L
IME - 3032	46.00	20.00	0.68	10.20	0.900 - 1.000	M


RUNNER 20 SERIES



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 3020	41.00	20.00	1.07	15.00	1.200 - 1.300	M
IME - 3021	41.00	20.00	1.30	15.00	1.400 - 1.750	H


SLIDING WINDOW SERIES

SINGLE TRACK




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7700	22.90	22.10	0.72	0.500 - 0.600	L
IME - 7701	22.90	22.10	0.96	0.600 - 0.700	M

THREE TRACK BOTTOM




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7705	45.00	34.00	1.25	1.700 - 1.900	M

TWO TRACK TOP & SIDE (18 SERIES)



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7345	62.00	31.50	0.70	1.500 - 1.700	L
IME - 7346	62.00	31.50	0.76	1.700 - 1.900	M
IME - 7347	62.00	31.50	0.81	1.900 - 2.100	H
IME - 7348	62.00	31.50	0.89	2.100 - 2.400	H


TWO TRACK BOTTOM (18 SERIES)



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7355	62.00	31.50	0.70	1.600 - 1.800	L
IME - 7356	62.00	31.50	0.76	1.800 - 2.000	M
IME - 7357	62.00	31.50	0.81	2.000 - 2.200	H
IME - 7358	62.00	31.50	0.84	2.200 - 2.500	H


SLIDING WINDOW SERIES

TWO TRACK TOP & SIDE (20 SERIES)




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7339	62.00	29.50	1.05	1.700 - 1.800	M
IME - 7340	62.00	29.50	1.05	1.800 - 1.900	H
IME - 7341	62.00	29.50	1.12	1.950 - 2.100	H
IME - 7342	62.00	29.50	1.18	2.200 - 2.300	H
IME - 7343	62.00	29.50	1.23	2.400 - 2.800	H

TWO TRACK BOTTOM (20 SERIES)




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7350	62.00	29.50	0.90	1.900 - 2.000	H
IME - 7351	62.00	29.50	1.00	2.100 - 2.200	H
IME - 7352	62.00	29.50	1.15	2.300 - 2.600	H
IME - 7353	62.00	29.50	1.25	2.600 - 3.000	H

THREE TRACK TOP & SIDE (20 SERIES)



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7360	92.00	29.50	1.05	2.750 - 3.000	H
IME - 7361	92.00	29.50	1.20	3.100 - 3.300	H


THREE TRACK BOTTOM (20 SERIES)



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7370	92.00	29.50	0.88	2.800 - 3.200	H
IME - 7371	92.00	29.50	1.18	3.200 - 3.400	H


SLIDING WINDOW SERIES

ALGERIA SHUTTER




PROFILE NO	A	B	T	G	WEIGHT /12'	GRADE
IME - 7810	64.80	27.00	0.75	16.00	1.800 - 1.900	M
IME - 7811	64.80	27.00	1.05	16.00	2.200 - 2.300	H

ALGERIA SHUTTER MOSQUITO




PROFILE NO	A	B	T	G	WEIGHT /12'	GRADE
IME - 7815	65.00	27.40	0.83	16.20	2.200 - 2.250	H

ALGERIA TWO TRACK




PROFILE NO	A	B	T	G	WEIGHT /12'	GRADE
IME - 7820	45.00	44.80	0.82	24.40	1.800 - 1.900	M
IME - 7821	45.00	44.80	1.05	24.40	2.200 - 2.300	H

ALGERIA TRACK




PROFILE NO	A	B	T	G	WEIGHT /12'	GRADE
IME - 7825	60.00	39.00	1.00	22.70	2.600 - 2.800	H

SLIDING WINDOW SERIES




PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 7830	79.70	44.80	1.10	24.40	3.900 - 4.100	H

ALGERIA THREE TRACK CLOSED




PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 7835	80.10	45.00	1.05	24.45	4.050 - 4.150	H

ALGERIA SHUTTER



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 7814	65.00	27.40	0.90	16.00	2.100 - 2.200	M


ALGERIA CLIP



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7840	38.90	28.37	1.15	1.000 - 1.100	M


FIX DOORS & WINDOW SERIES

SOLID FRAME




PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 7710	44.00	34.00	1.36	20.00	1.600 - 1.700	H
IME - 7711	44.00	34.00	1.60	20.00	1.800 - 2.000	H

FRAME SOLID



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 7730	44.45	34.00	1.30	17.00	1.450 - 1.600	H
IME - 7731	44.45	34.00	1.50	17.00	1.700 - 1.900	H


MULLION



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7750	55.70	34.00	1.40	2.450 - 2.600	H
IME - 7751	55.70	34.00	1.50	2.700 - 2.800	H
IME - 7752	55.70	34.00	1.60	2.800 - 3.000	H


FIX DOORS & WINDOW SERIES

Z - FRAME HOLLOW (40 SERIES)




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7760	44.00	40.00	1.50	2.400 - 2.600	H

MULLION




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7770	54.00	40.00	1.50	2.500 - 2.600	H

GLAZING CLIP (34 SERIES)



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7780	31.50	17.40	0.78	0.500 - 0.550	M
IME - 7781	31.50	17.40	0.95	0.550 - 0.650	M


BEEDING CLIP (40 SERIES)



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7790	32.50	18.50	1.20	0.900 - 1.000	H


FIX DOORS & WINDOW SERIES

WINDOW PLAIN WITH LIP



PROFILE NO	A	B	T	L	G	WEIGHT / 12'	GRADE
IME - 9210	54.00	20.50	0.57	5.00	8.30	0.800 - 0.900	L
IME - 9211	54.00	20.50	0.66	5.00	8.30	0.900 - 1.000	M
IME - 7480	55.10	20.00	0.60	5.10	10.00	0.850 - 0.950	XL
IME - 7481	55.10	20.00	0.70	5.10	10.00	0.950 - 1.100	L
IME - 7482	55.10	20.00	0.80	5.10	10.00	1.100 - 1.200	M
IME - 7483	55.10	20.00	0.90	5.10	10.00	1.200 - 1.400	H
IME - 7550	60.00	20.00	0.60	10.00	10.00	0.950 - 1.000	XL
IME - 7551	60.00	20.00	0.69	10.00	10.00	1.050 - 1.250	L
IME - 7540	68.00	25.50	0.80	4.70	10.00	1.200 - 1.300	XL
IME - 7541	68.00	25.50	0.84	4.70	10.00	1.300 - 1.450	L


WINDOW PLAIN GROOVE



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 9215	49.00	20.50	0.60	8.30	0.800 - 0.900	L
IME - 9216	49.00	20.50	0.69	8.30	0.900 - 1.000	M
IME - 7530	50.00	20.00	0.70	10.00	0.850 - 0.950	XL
IME - 7531	50.00	20.00	0.80	10.00	0.950 - 1.100	L
IME - 7532	50.00	20.00	0.90	10.00	1.100 - 1.200	M
IME - 7533	50.00	20.00	1.00	10.00	1.200 - 1.400	H
IME - 7535	63.00	25.50	0.80	10.00	1.200 - 1.300	L
IME - 7536	63.00	25.50	0.84	10.00	1.300 - 1.450	M


FIX DOORS & WINDOW SERIES

MULLION 49 SERIES



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME -9315	69.00	49.50	1.10	3.250 - 3.500	H


CHAIR 49 SERIES



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME -9320	54.50	49.50	1.20	2.800 - 2.900	H


DOORS SERIES

DOOR CENTRE




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7380	47.52	44.46	0.61	1.800 - 1.900	H
IME - 7381	47.52	44.46	1.00	1.900 - 2.000	H
IME - 7382	47.52	44.46	1.20	2.000 - 2.200	H

DOOR MIDDLE



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7390	47.52	44.46	0.87	1.800 - 1.900	H
IME - 7391	47.52	44.46	0.91	2.000 - 2.100	H
IME - 7392	47.52	44.46	1.12	2.200 - 2.300	H


DOOR VERTICAL



PROFILE NO	A	B	T	WEIGHT / 7'	GRADE
IME - 7400	47.45	44.46	0.89	1.000 - 1.100	M
IME - 7401	47.45	44.46	0.91	1.100 - 1.200	H
IME - 7402	47.45	44.46	1.07	1.200 - 1.300	H
IME - 7403	47.45	44.46	1.17	1.300 - 1.400	H
IME - 7404	47.45	44.46	1.38	1.400 - 1.500	H
IME - 7407	85.00	44.46	1.76	2.800 - 2.900	H


DOORS SERIES

DOOR TOP



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7410	47.62	44.46	0.90	1.800 - 1.900	H
IME - 7411	47.62	44.46	1.00	2.000 - 2.100	H
IME - 7412	47.62	44.46	1.04	2.100 - 2.200	H


DOOR BOTTOM



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7420	83.00	45.00	1.00	2.700 - 2.800	M
IME - 7421	83.00	45.00	1.04	2.800 - 3.000	M
IME - 7422	83.00	45.00	1.13	3.000 - 3.400	H
IME - 7430	95.00	45.00	0.88	2.600 - 2.800	M
IME - 7431	95.00	45.00	0.98	2.800 - 3.000	M
IME - 7432	95.00	45.00	1.15	3.000 - 3.400	H


MOSQUITO

MOSQUITO NET FRAME




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7590	25.00	13.00	1.03	0.550 - 0.600	M
IME - 7591	25.00	13.00	1.07	0.600 - 0.680	M
IME - 7592	25.00	13.00	1.10	0.700 - 0.800	H
IME - 7593	25.00	13.00	1.25	0.800 - 0.850	H
IME - 7594	28.30	10.00	0.87	0.500 - 0.550	H

MOSQUITO NET FRAME




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7595	46.60	16.30	0.94	0.900 - 1.000	M
IME - 7596	46.60	16.30	0.98	1.000 - 1.200	H

MOSQUITO NET FRAME FLAT



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 9596	45.60	16.00	0.95	1.050 - 1.150	H


MOSQUITO NET FRAME



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 7598	21.20	9.70	0.80	3.10	0.450 - 0.500	M


KITCHEN SERIES

KITCHEN FRAME




PROFILE NO	A	B	T	L	G	WEIGHT / 12'	GRADE
IME - 9001	38.90	23.00	0.76	3.00	10.00	0.750 - 0.850	L
IME - 9002	38.90	23.00	0.86	3.00	10.00	0.850 - 0.950	M
IME - 9003	38.90	23.00	0.91	3.00	10.00	0.950 - 1.050	M
IME - 9010	41.90	23.00	0.60	6.00	10.00	0.650 - 0.700	XL
IME - 9011	41.90	23.00	0.66	6.00	10.00	0.700 - 0.800	L
IME - 9012	41.90	23.00	0.74	6.00	10.00	0.800 - 0.900	M
IME - 9013	41.90	23.00	0.84	6.00	10.00	0.900 - 1.000	M
IME - 9014	41.90	23.00	0.98	6.00	10.00	1.000 - 1.100	H
IME - 9015	41.90	23.00	1.04	6.00	10.00	1.100 - 1.300	H
IME - 9020	46.00	23.00	0.68	10.00	10.00	0.750 - 0.800	L
IME - 9021	46.00	23.00	0.81	10.00	10.00	0.800 - 0.900	M
IME - 9022	46.00	23.00	0.88	10.00	10.00	0.900 - 1.000	M

APC KITCHEN



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 9050	49.40	21.00	0.79	9.00	1.000 - 1.100	L
IME - 9051	49.40	21.00	0.89	9.00	1.100 - 1.250	M
IME - 9052	49.40	21.00	1.03	9.00	1.350 - 1.450	H


OVAL KITCHEN



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 7560	42.00	21.45	0.60	4.10	0.900 - 1.000	L
IME - 7561	42.00	21.45	0.70	4.10	1.000 - 1.150	M


KITCHEN SERIES

D - KITCHEN




PROFILE NO	A	B	T	G	WEIGHT /12'	GRADE
IME - 7570	43.50	19.50	0.83	4.60	0.900 - 1.050	XL
IME - 7571	43.50	19.50	0.89	4.60	1.050 - 1.200	M

GULF KITCHEN



PROFILE NO	A	B	T	L	G	WEIGHT /12'	GRADE
IME - 9265	42.20	20.40	0.70	6.00	3.00	0.850 - 0.950	L
IME - 7580	42.00	21.50	0.58	6.00	3.80	0.800 - 0.880	L
IME - 7581	42.00	21.50	0.63	6.00	3.80	0.880 - 0.950	L
IME - 7582	42.00	21.50	0.71	6.00	3.80	0.960 - 1.060	M
IME - 7583	42.00	21.50	0.84	6.00	3.80	1.080 - 1.200	H
IME - 7584	42.00	21.50	0.92	6.00	3.80	1.200 - 1.400	H
IME - 3170	42.20	22.00	0.85	6.00	8.00	1.150 - 1.300	M


KITCHEN FRAME



PROFILE NO	A	B	T	L	G	WEIGHT /12'	GRADE
IME - 3120	40.00	23.20	0.53	5.20	3.00	0.950 - 1.100	M
IME - 3121	40.00	23.20	0.59	5.20	3.00	1.100 - 1.300	M


KITCHEN SERIES

KITCHEN FRAME




PROFILE NO	A	B	T	L	G	WEIGHT / 12'	GRADE
IME - 3140	39.80	17.80	0.72	5.00	3.00	1.100 - 1.300	M
IME - 3160	40.00	18.30	0.80	5.00	3.50	0.800 - 0.850	M
IME - 9170	41.00	20.12	0.62	6.00	3.00	0.800 - 0.900	L
IME - 9171	41.00	20.12	0.70	6.00	3.00	0.900 - 1.000	M

KITCHEN FRAME




PROFILE NO	A	B	T	L	G	WEIGHT / 12'	GRADE
IME - 3100	40.30	25.20	0.80	5.50	4.70	1.150 - 1.250	M

GULF KITCHEN HANDLE 3.50 MM



PROFILE NO	A	B	T	L	G	WEIGHT / 12'	GRADE
IME - 3150	70.00	18.30	0.80	5.00	20.00	1.700 - 1.750	H


GULF KITCHEN HANDLE 4.20 MM



PROFILE NO	A	B	T	L	G	WEIGHT / 12'	GRADE
IME - 3155	72.20	21.70	0.80	6.50	19.70	1.500 - 1.700	M
IME - 3156	72.20	21.70	0.90	6.50	19.70	1.700 - 1.900	H


KITCHEN SERIES

GULF KITCHEN HANDLE 8.0 MM




PROFILE NO	A	B	T	L	G	WEIGHT / 12'	GRADE
IME - 3165	77.20	22.00	1.00	6.00	25.00	2.100 - 2.300	M

RT STEP SECTION




PROFILE NO	A	B	T	L	G	WEIGHT / 12'	GRADE
IME - 3175	51.00	47.00	0.85	6.00	8.00	1.800 - 2.000	H
IME - 3178	51.00	47.00	0.85	6.00	4.00	1.800 - 2.000	M

SQUARE STEP SECTION



PROFILE NO	A	B	T	L	G	WEIGHT / 12'	GRADE
IME - 3179	60.00	42.00	0.75	4.00	3.30	1.550 - 1.650	M


KITCHEN FRAME WITH HANDLE



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 3110	42.20	25.20	0.85	4.00	1.250 - 1.350	L


KITCHEN SERIES

DRAWER




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 9060	100.00	20.00	0.70	1.550 - 1.650	L
IME - 9061	100.00	20.00	0.80	1.650 - 1.750	M

SQUARE LIP




PROFILE NO	A	B	T	L	G	WEIGHT / 12'	GRADE
IME - 7025	27.40	22.60	0.53	6.00	4.20	0.450 - 0.520	XL
IME - 7026	27.40	22.60	0.59	6.00	4.20	0.600 - 0.650	L
IME - 7025-S	27.00	22.00	0.54	5.00	4.20	0.450 - 0.520	XL
IME - 7026-S	27.00	22.00	0.60	5.00	4.20	0.600 - 0.650	L
IME - 7028	36.50	32.00	0.70	6.00	4.20	0.800 - 0.900	L
IME - 7029	36.50	32.00	0.70	6.00	4.20	0.900 - 1.000	M

SQUARE DOUBLE SIDE LIP



PROFILE NO	A	B	T	L	G	WEIGHT / 12'	GRADE
IME - 7865	31.90	22.70	0.40	6.00	4.20	0.500 - 0.600	XL
IME - 7867 L	41.40	32.00	0.70	6.00	4.20	0.800 - 0.900	L
IME - 7867	41.40	32.00	0.70	6.00	4.20	0.900 - 1.050	M


RT LIP



PROFILE NO	A	B	T	L	G	WEIGHT / 12'	GRADE
IME - 7862	36.00	28.70	0.60	6.00	4.10	0.820 - 0.870	


KITCHEN SERIES

KITCHEN SQUARE WITH SINGLE LIP




PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 9070	25.40	25.40	0.80	4.00	0.800 - 0.900	L

KITCHEN SQUARE WITH DOUBLE LIP



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 9080	25.40	25.40	0.86	4.00	0.850 - 0.950	L


KITCHEN SQUARE WITH OPPOSITE LIP



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 9090	25.40	25.40	0.86	4.00	1.000 - 1.200	L


SHOWCASE

SHOWCASE HEAD




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7510	60.20	47.20	0.65	1.000 - 1.100	L
IME - 7511	60.20	47.20	0.80	1.200 - 1.350	M

SHOWCASE HEAD SMALL



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7500	43.50	39.50	0.90	1.050 - 1.150	L
IME - 7501	43.50	39.50	1.00	1.150 - 1.300	M


SHOWCASE



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 9040	66.00	32.50	0.63	1.000 - 1.200	XL
IME - 9041	66.00	32.50	0.71	1.200 - 1.350	L
IME - 9042	66.00	32.50	0.76	1.350 - 1.500	M
IME - 9043	66.00	32.50	0.82	1.500 - 1.600	H

PARTITION


SINGLE PARTITION



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7160	48.00	24.00	0.57	0.950 - 1.050	XL
IME - 7161	48.00	24.00	0.67	1.100 - 1.250	L
IME - 7162	48.00	24.00	0.72	1.250 - 1.300	M
IME - 7163	48.00	24.00	0.79	1.300 - 1.400	M
IME - 7164	48.00	24.00	0.84	1.400 - 1.500	M
IME - 7170	50.80	25.40	0.56	1.000 - 1.100	XL
IME - 7171	50.80	25.40	0.60	1.100 - 1.200	L
IME - 7172	50.80	25.40	0.63	1.200 - 1.300	M
IME - 7173	50.80	25.40	0.68	1.300 - 1.400	M
IME - 7174	50.80	25.40	0.76	1.400 - 1.500	H
IME - 7190	63.50	38.10	0.66	1.500 - 1.580	L
IME - 7191	63.50	38.10	0.68	1.600 - 1.700	L
IME - 7192	63.50	38.10	0.72	1.700 - 1.800	L
IME - 7193	63.50	38.10	0.75	1.800 - 1.900	M
IME - 7194	63.50	38.10	0.78	1.900 - 2.000	M
IME - 7195	63.50	38.10	0.87	2.000 - 2.200	H
IME - 7196	63.50	38.10	1.09	2.200 - 2.400	H
IME - 7197	63.50	38.10	1.21	2.400 - 2.600	H
IME - 7198	63.50	38.10	1.38	2.600 - 2.800	H
IME - 7199	63.50	38.10	1.58	2.800 - 3.000	H
IME - 7199H	63.50	38.10	1.70	4.000 - 4.100	H
IME - 7250	101.60	44.45	1.13	3.500 - 3.550	H


PARTITION

P-PARTITION




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 9110	63.60	50.50	1.15	2.600 - 2.800	H
IME - 9111	63.60	50.50	1.30	2.800 - 3.000	H

GLAZING CLIP



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7260	18.75	17.23	0.37	0.180 - 0.210	XL
IME - 7261	18.75	17.23	0.41	0.210 - 0.240	XL
IME - 7262	18.75	17.23	0.44	0.240 - 0.290	L
IME - 7263	18.75	17.23	0.46	0.290 - 0.370	M


GLAZING PLATE



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7280	44.46	3.19	0.49	0.450 - 0.500	XL
IME - 7281	44.46	3.19	0.56	0.500 - 0.550	L
IME - 7282	44.46	3.19	0.60	0.550 - 0.600	M


GLASS PARTITION

GLASS BOTTOM PARTITION



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 7440	88.00	40.00	1.60	16.00	4.000 - 4.200	H
IME - 7441	88.00	40.00	1.70	16.00	4.500 - 5.000	H
IME - 7442	88.00	40.00	1.80	16.00	5.000 - 6.000	H


HALF GLASS BOTTOM PARTITION



PROFILE NO	A	B	T	G	WEIGHT / 12'	GRADE
IME - 7450	40.00	32.00	1.71	16.00	3.000 - 3.250	M
IME - 7451	40.00	32.00	1.81	16.00	3.250 - 3.450	M


CURTAIN SECTION

SLOTTED ROUND PIPE




PROFILE NO	A	B	T	WEIGHT / 15'	GRADE
IME - 9175	39.00	37.40	0.80	0.900 - 1.000	L

CONICAL SECTION




PROFILE NO	A	B	T	WEIGHT / 15'	GRADE
IME - 9185	25.80	11.80	1.00	0.600 - 0.700	L

PELMET SECTION



PROFILE NO	A	B	T	WEIGHT / 15'	GRADE
IME - 9180	79.02	66.70	1.08	1.600 - 1.750	L


U-BOTTOM



PROFILE NO	A	B	T	G	WEIGHT / 15'	GRADE
IME - 9189	23.40	28.30	0.70	7.50	0.600 - 0.700	L


CURTAIN SECTION

DECORATIVE U BOTTOM




PROFILE NO	A	B	T	G	WEIGHT / 15'	GRADE
IME - 9187	24.00	34.50	0.90	7.50	0.800 - 0.850	L

CURTAIN CHANNEL




PROFILE NO	A	B	T	G	WEIGHT / 15'	GRADE
IME - 9292	59.00	53.50	1.40	44.60	2.489 - 2.600	M
IME - 9289	43.00	38.00	1.50	29.00	1.918 - 2.000	M

ROMAN CHANNEL



PROFILE NO	A	B	T	G	WEIGHT / 15'	GRADE
IME - 9283	32.59	36.00	0.90	20.00	1.114 - 1.214	L


DRAWER CHANNEL



PROFILE NO	A	B	T	G	WEIGHT / 15'	GRADE
IME - 9286	43.50	25.50	0.85	21.50	0.986 - 1.050	XL
IME - 1100	43.50	25.50	1.00	21.50	1.150 - 1.300	L


CURTAIN SECTION

CHANNEL




PROFILE NO	A	B	T	G	WEIGHT / 15'	GRADE
IME - 9280	22.15	16.00	1.00	7.00	0.670 - 0.750	XL

ROMAN CHANNEL



PROFILE NO	A	B	T	G	WEIGHT / 15'	GRADE
IME - 9240	32.00	35.50	0.70	20.00	0.850 - 0.950	L


ROUND TUBE WITH NIB



PROFILE NO	A	B	T	WEIGHT / 15'	GRADE
IME - 9165	15.50	9.00	1.50	0.600 - 0.650	L


PANEL

PANEL



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 9235	85.50	8.00	0.50	1.100 - 1.300	XL


PANEL



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 9237	104.10	3.00	0.50	1.000 - 1.050	XL


LOUVERS

OVAL LOUVER



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7855	75.00	15.00	1.10	1.800 - 2.000	H
IME - 7856	75.00	15.00	1.20	2.000 - 2.100	H


LOUVER



PROFILE NO	A	B	T	L	WEIGHT / 12'	GRADE
IME - 7850	76.95	28.00	0.83	14.82	0.950 - 1.050	M
IME - 7853	76.95	27.60	1.00	14.82	1.100 - 1.250	M


STRUCTURAL GLAZING

LIP SECTION



PROFILE NO	A	B	T	L	WEIGHT / 12'	GRADE
IME - 9095	71.00	28.50	0.81	8.00	1.600 - 1.800	M
IME - 9096	71.00	28.50	0.99	8.00	1.800 - 2.000	M
IME - 9097	71.00	28.50	1.10	8.00	2.000 - 2.400	H


LIP SECTION



PROFILE NO	A	B	T	L	WEIGHT / 12'	GRADE
IME - 9100	74.00	58.00	1.30	10.00	3.500 - 3.600	H
IME - 9101	74.00	58.00	1.50	10.00	3.900 - 4.000	H
IME - 9102	74.00	58.00	1.70	10.00	4.550 - 4.650	H
IME - 9103	74.00	58.00	2.00	10.00	5.200 - 5.300	H


LADDER

LADDER




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 5075	66.70	16.50	2.60	1.900 - 1.950	H

STANDING STEP TOP FEMALE




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 5095	125.74	45.00	1.47	3.500 - 3.550	H

STANDING STEP TOP MALE



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 5025	115.50	45.00	1.25	3.450 - 3.550	H


STANDING STEP TOP FEMALE



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 5090	108.70	31.20	1.15	2.100 - 2.200	H


LADDER

STANDING STEP TOP MALE




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 5085	103.50	31.20	1.15	2.500 - 2.550	H

SIDE FRAME




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 5040	76.50	23.90	1.30	1.600 - 1.800	H

LADDER



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 5035	80.10	29.50	1.39	1.400 - 1.500	H


LADDER



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 5065	52.00	31.00	0.90	1.000 - 1.200	H


LADDER

LADDER C FRAME



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 5001	65.00	30.40	1.65	1.900 - 2.100	H
IME - 5125	65.00	30.37	2.30	2.680 - 2.880	H


LADDER SIDE FRAME



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 5070	58.00	24.00	1.05	1.000 - 1.200	H


MISCELLANEOUS

KEYGOLA




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 1050	31.53	5.55	0.62	0.200 - 0.220	XL
IME - 1051	31.53	5.55	0.66	0.250 - 0.280	L

F - GRILL




PROFILE NO	A	B	T	G	WEIGHT / 12'	
IME - 1065	14.00	10.00	0.90	9.20	0.280 - 0.320	L
IME - 1070	21.60	16.00	0.69	9.60	0.350 - 0.400	L
IME - 1071	21.60	16.00	0.79	9.60	0.400 - 0.450	M

T - BULB



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 1095	23.50	23.50	0.57	0.280 - 0.330	XL
IME - 1096	23.50	23.50	0.65	0.330 - 0.400	L
IME - 1097	25.00	25.00	0.66	0.500 - 0.550	M
IME - 1098	25.00	25.00	0.80	0.700 - 0.800	M


T - BULB



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 1120	25.00	37.90	1.35	1.150 - 1.250	M


MISCELLANEOUS

SPECIAL PROFILE




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 9130	64.00	26.50	0.80	1.519 - 1.619	H

SPECIAL CLIP



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 9135	14.10	11.30	0.50	0.203 - 0.303	H


STRIP



PROFILE NO	A	B	WEIGHT / 12'	GRADE
IME - 1045	23.60	3.30	0.330 - 0.380	M


MISCELLANEOUS

DOME TOP




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 1108	51.25	10.40	1.48	1.150 - 1.250	M

DOME BOTTOM




PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 7860	50.30	14.60	3.50	1.850 - 1.950	M

GRILL - H



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 1115	35.30	11.20	0.94	0.600 - 0.700	L
IME - 1116	35.30	11.20	1.00	0.700 - 0.800	M

GRILL - H



PROFILE NO	A	B	T	WEIGHT / 12'	GRADE
IME - 9275	25.20	5.60	0.70	0.280 - 0.310	L



yemora

+91 907 450 0492 | +91 907 454 3373
+91 892 185 5692 | www.yemora.in
Chittur, Palakkad